

Termék típusa	SE-500 SWITCHER, HANDCARRY, MOBILE VIDEO STUDIO	Ár
DATAVIDEO SE-500	4 input Y/C (S-Video), Cvbs Vision Mixer / Switcher. Cvbs, and selectable Y/C or YUV output. RS-232/ Midi Control. Unique Quad and Preview Output display on a single monitor. On-screen Tally Light Indication. Digital effects	197 800 Ft
DATAVIDEO HS-500	A Compact, one box solution designed with no compromise in performance for use where weight matters. Y/C & Cvbs I/O with additional YUV output. Features Datavideo SE-500 vision switcher and TLM-702 monitor, built in to a convenient strong aluminium carrying case. Only one single AC power connection required.	435 600 Ft
DATAVIDEO HS-550	The Datavideo HS-550 is a compact, portable one box solution, built around the SE-500 switcher The HS-550 is a fully integrated solution, housed in a stylish and light aluminium carrying case for easy and secure transport and storage. Components included: SE-500 Cvbs 4 channel vision switcher TLM-702 2 x 7 inch wide screen LCD TFT monitor bank ITC-50 talkback / intercom system Space for DN-60 solid State Recorder - see 2600-0060 (recorder not included)	841 500 Ft
DATAVIDEO MS-500	MVS designed around the SE-500 4-channel vision switcher, fully integrated with ITC-100 talkback/ intercom system, TLM-702 dual monitors for displaying SE-500's unique quad preview and main output. MS-500 includes PD-1 power distribution system, RP-17& RP-18 patch panels for easy connection of the video sources and intercom backpacks. RP-10 locking sliding tray and universal DVD player/ recorder shelf. 8U heavy duty flight case. Fully configured, tested and ready to go.	970 200 Ft
DATAVIDEO SE-600	8 input SD switcher. 6 Composite video + 2 DVI-D input with 2 PIP, Luma key and DV out. SE-600 is a perfect switcher that supports analog input, high compatibility with PC. ETD december 2011 Real time video application with broadcast grade, effect and functions are useful for use Preview out: DVI-D for Multi-Viewer with clock and audio level indicator	396 000 Ft

Main out: CVBSx3(recorder/program out/streaming)
Aux out: CVBS x 2- see also www.datavideo.info

DATAVIDEO HS-600

Hand carry system designed around the SE-600 including Talkback system and built in preview monitor 1 188 000 Ft

ETD december 2011 Individual adjustments of Brightness, Contrast, Color Saturation and Backlight Level for each monitor, onm screen time code.

Front panel Headphone Jacks, Tally indicator , audio indicator Safe area, Title editable on Safe area, support embedded audio.

HDSDI/SD-SDI and HDMI Input, blue only

4:3 & 16:9 display mode switching / PAL & NTSC auto switching

DATAVIDEO TB-5

Tally contolbox for use i.c.w. Se-500 or RMC-90 or SE-2000. (special cable needed).

33 400 Ft

contains also 4 x TD-1, Ltally light, 4x CB-7, 1` .2 m Tally cable, 1x 15 pin SUB-D male-female.

110-240V adaptor

DATAVIDEO G07692150202

Tally Connection cable for SE-500 to ITC-100

19 600 Ft

DATAVIDEO HS-500BB

Case only SE-500 Hand carrycase Aluminium bracket. HS-500 model

75 200 Ft

Including bracket and cable set, but excluding SE-500 and TLM-702

Termék típusa	SE-800 SWITCHER, HANDCARRY, MOBILE VIDEO STUDIO	Ár
	SE-800 Accessories	
DATAVIDEO SE-800DVI	DV Input board for SE-800AV.(NW721) (up to 4 can be added). (Std on SE-800)	53 200 Ft
DATAVIDEO SE-800DVO	DV Output board for SE-800AV (Std. on SE-800)	89 100 Ft
DATAVIDEO SE-800SDI	SDI Output & SDI Graphic Overlay board for SE-800AV (Std. on SE-800)	168 300 Ft
DATAVIDEO RMC-140-	Next Source / Preview Output box for SE-800/ SE-800AV (selectable Quad, PIP, POP or Next) Also provides 15 pin and 4x 3.5mm tally light outputs. Supplied with 4x TD-1 Tally Lights and 4x CB-7 1.2 m tally cables	84 100 Ft
DATAVIDEO TD-1	Kit of 4 spare TD-1 Tally Lights & 4x CB-7 1.2m tally cables	17 800 Ft
Termék típusa	SE-900 SWITCHER, HANDCARRY, MOBILE VIDEO STUDIO	Ár
DATAVIDEO SE-900	Bare Bone System includes: SE-900 Master Control Unit (4U) + Keyboard Control Panel including: DVI-D Multi Image preview card CV,YUV, S-video (Y/C) DV output	940 500 Ft

SDI CG overlay card RS-232 / RS-422 interface

(No inputcards included!)

Modular 8 channel SD Mixer / Switcher. 2 piece unit consisting of control panel and 19" rack-mountable main frame that holds the various I/O cards, control & tally connectivity. The unit features a multi image output display allowing all inputs/ master & next source output to be displayed on a single monitor. The unit itself does not process audio, however it does provide audio delay facility from one input or from an external audio mixer. The optional SDI/ DV input cards provide audio de-embedding to a 2 channel balanced audio output. The unit requires no external genlock as all inputs feature a built in TBC.

Also included is a down stream keyer (DSK) for integration with character generator software such as datavideo CG-100 as well as a separate logo store.

Customize your unit from the cards below (priced each):

DATAVIDEO 900-SDI	SDI Input board for SE-900	92 000 Ft
DATAVIDEO 900-DV25	DV25 input board for SE-900	83 100 Ft
DATAVIDEO 900-YUV	YUV / YC / CV input board for SE-900	64 300 Ft
DATAVIDEO 900-SDI-OUT	SDI Output board for SE-900	64 300 Ft
DATAVIDEO 900-DVK	Chromakeyboard for SE-900	396 000 Ft
DATAVIDEO 900-DVI	1x VGA + 1x DVI-D in board for SE-900 (Res. 800x600, 1024x768, 1280x1024 @60Hz)	74 200 Ft
DATAVIDEO 900-GLK	GENLOCK board for SE-900 Timing adjustment: 0.14nSec(1/256 clock) to 1 frame	74 200 Ft
DATAVIDEO 900-MVB	DVI-D Multi view board - Optional upgrade SE-900 (Res. 1920x1080P50 in PAL, 1920x1080P60 in NTSC)	112 600 Ft
DATAVIDEO MS-900	Mobile Video Studio designed around the SE-900 vision switcher, requires choice of I/O boards (not incl.)	2 475 000 Ft

Fully integrated SE-900 switcher (**barbone switcher - No I/O cards included!**) with :

TLM-170M monitor showing all 8 inputs, next source and program output via multi-image output of SE-900,

ITC-100 intercom/ talkback system, **DN-500** recorder (**HDD not included**) & **PD-1** power distribution system.

DATAVIDEO MS-900C

Mobile Video Studio designed around the **SE-900** vision switcher, requires choice of I/O boards (**not incl.**) 2 752 200 Ft
Fully integrated SE-900 switcher (**barbone switcher - No I/O cards included!**) with :

TLM-170M monitor showing all 8 inputs, next source and program output via multi-image output of SE-900,

ITC-100 intercom/ talkback system, **DN-500** recorder (**HDD not included**) & **PD-1** power distribution system.

Now also incl. **RP-45** 1 in/ 8 out Cvbs amplifier and **PD -3** for phantom powersupply to camera's.

Accessories Multi Core Cable CB-23, CB-24

Termék típusa	SE-2000 SWITCHER, HANDCARRY, MOBILE VIDEO STUDIO	Ár
DATAVIDEO SE-2000	SE-2000 HD-SDI Digital Video switcher. Full HD 1080i & 720P Featuring 6 inputs. (4 HD-SDI and 2 DVI-D/ HDMI). Max. number of active inputs: 5. PGM output: Full HD-SDI and HD-YUV. Preview output via DVI-D. Audio video synchronization switching Luma Key PIP Freeze and fade to black 13 transitions, 5 individual speed keys, 5 user preset memory Tally signal output (For use with TB-5 a special cable is required!)	79 000 Ft

RS232 (For firmware update only) . DC-12V (110v- 230v AC adapter included)

DATAVIDEO HS-2000

Hand carry system designed arround SE-2000 HD-SDI Digital Video switcher.
Featuring 6 inputs. (4 HD-SDI and 2 DVI-D/ HDMI). Max. number of active inputs: 5.

1 582 000 Ft

Build in 5 channel intercom communication system with 4 beltpacks. 5 pin XLR cable for two way communication, tally light and beltpack powersupply. Including microphone and built in LED light.

Including 17" LCD monitor, which aslo can display 16:9 HD. 4 Channel audio mixer with level display.

DATAVIDEO HS-2000L

Hand carry system designed arround SE-2000 HD-SDI Digital Video switcher.
lightweight case reduced weight to 9 kg.
Featuring 6 inputs. (4 HD-SDI and 2 DVI-D/ HDMI). Max. number of active inputs: 5.

1 582 000 Ft

Build in 5 channel intercom communication system with 4 beltpacks. 5 pin XLR cable for two way communication, tally light and beltpack powersupply. Including microphone and built in LED light.

Including 17" LCD monitor, which aslo can display 16:9 HD. 4 Channel audio mixer with level display.

Termék típusa

SE-3000 8/16 HD/SD SDI SWITCHER

Ár

SE-3000 Main Unit & Control Panel - Fitted max. 16 x HD/SD-SDI Input
Dedicated DVI Input. High Quality DVI-D Multiview output.
1 M/E Switcher with additonal FlexSource for advanced vison mixing
4 Keyers (2 in M/E, 2 DSK), 40 wipes with variable border width, colour & softness
Dual Channel PIP & Built in DVE transition Engine with 88+ transitions + 2 HD/SD Chromakey
Built in SD to HD upconverter for 8 sources & Component analogue HD Output
4 Aux Outputs + Two Still Frame Stores. PC Control Interface & 12v DC Operation.
Unit comprises main control unit and separate 19" Rack Processing I/O Unit

DATAVIDEO SE-3000 control panel	SE-3000 control panel -see all-in one brochure for more detailed informaiton	
DATAVIDEO SE-3000 / 16	SE-3000 Main unit Fitted with 16 HD/SD-SDI input and control panel	4 158 000 Ft
DATAVIDEO SE-3000 / 8 TBA	SE-3000 Main unit Fitted with 8 HD/SD SDI input and control panel	2 574 000 Ft
DATAVIDEO SE-3000 /- 8up TBA	SE-3000 8 x HD-SDI Upgrade for SE-3000 8 input Version	196 000 Ft

DATAVIDEO Termék típusa	Digital Video Recorders - Product Description	Ár
DATAVIDEO DN-60	<p>Extremely Portable (Approx 11 x 8 x 3cm), Shockproof Solid State HDV/ DV Recorder. 2.5 hrs recording on 32GB CF Card (Not Supplied) - FAT32 or NTFS File Support. IEEE1394 I/O, Removeable CF card (Not included). File support includes AVI, MOV and M2T format. Quicktime HDV through program. DN-60 can store HDV, DV, DVCPRO 25&50 signal formats. DV25 timecode from the camera or generated by internal time coder.</p> <p>Time laps recording, 8 seconds pre recording buffer (DV mode only), RS232 compatible with Sony protocol. Uses four standard AA batteries or re-chargables. Can also be used on mains (AC adapter incl.). DN-60 can be controled by camera through IEEE1394 AVC command protocol.</p>	98 800 Ft
DATAVIDEO DN-200D (incl HDD)	<p>Cvbs and stereo audio input. IEEE1394 signal supports DV, HDV, DVCPRO25 Time code input Output Composite video and stereo audio.</p> <p>8 sec. pre-recording buffer, Time laps & single frame recording (DV mode only). Play last video feature. HDD 320 GB included</p>	246 500 Ft
DATAVIDEO DN-400	<p>DN-400 harddrive videorecorder with removable 2.5" HDD (HDD not included) Next generation Harddrive Recorder. Records direct to either HDV (*.m2t) or DV (*.dv) DV recording also allows analogue video monitoring. Audio level indicator. Headphone output.</p> <p>RS232/422 & GPI control. Removable Harddrive features USB 2.0 connectivity for fast file transfer to MAC/ PC. File conversion software (FC-1) also provided, supporting virtually any NLE Platform</p>	316 800 Ft

incl. AVID, CANOPUS, MATROX & FCP
2 U High.

DATAVIDEO DN-500	DN-500 is the 1U rackmountversion of DN-400. Removable 2.5 HDD (HDD not included). 1 U high 19", including FC-1 DV conversion software	316 800 Ft
DATAVIDEO HDR-40	HD/ SD Harddrive recorder / player with removable 2.5" HDD (HDD not included) SDI loop through input for HD or SD (auto detect). Supports embedded digital audio on SDI input and analogue audio in via XLR. HDMI out for monitoring.	396 000 Ft
DATAVIDEO HDR-50	HD/ SD Harddrive recorder with removable 2.5" HDD (HDD not included) 1 U high 19" SDI loop through input for HD or SD (auto detect). Supports embedded digital audio on SDI input and analogue audio in via XLR. HDMI out for monitoring.	396 000 Ft
DATAVIDEO HDR-45	HD/ SD Harddrive recorder / player with removable 2.5" HDD (HDD not included) HD-SD-SDI video input. HDMI and HD-SD SDI output M2t Recording format. SD 50 Mbps IBP 4:2:2 HD 20 -60 Mbps IBP 4:2:0 HD 100 Mbps I frame 4:2:2 9 1080i only)	455 400 Ft
DATAVIDEO HDR-55	HD/ SD Harddrive recorder with removable 2.5" HDD (HDD not included) same specs as HDR45 but in 1U high 19 inch rack mount.	455 400 Ft
DATAVIDEO HDR-500	HD-SD SDI Broadcast recorder with removable 2,5" HDD. Also suitable for SSD drives. Input: HD/SD-SDI, HD/SD-Y:U:V, HDMI, GPI, time code and external sync. output: HD/SD-SDI, HD/SD-Y:U:V, HDMI, time code	594 000 Ft

Supports embedded audio, balanced audio in -out XLR
NTFS File format for supporting important NLE systems.
Recording HD 120 Mbps 4:2:2 I-frame only

DATAVIDEO Termék típusa	BH-07	Digital Video Recorder Accessories Ball & Socket Head to mount DN-60	7 700 Ft
DATAVIDEO	BH-08	Ball & Socket Head to mount DN-60 small size	3 700 Ft
DATAVIDEO SATA-35025 SANDISK SDCFAA-008G HE-1 HE-1 BAG		HDD 320 Gb 2.5" Sata drive, 7200 RPM 16 Mb Cache. For DN-400/ 500, HDR-100/ 200, HDR-40/ 50 Sandisk CF Card 8 Gb Spare harddrive carrier for DN-400 /500, HDR-100/ 200, HDR-40/ 50 incl. HE-1 BAG (HDD not included). Carry case for spare harddrive carrier. Free with Carrier HE-1 6600-0503	

Termék típusa	LCD Monitors Product Description	Ár
DATAVIDEO TLM-170HR TLM-170H TLM-170HM	New Higher Spec Panel now fitted to TLM170 Range - All models feature HD-SDI, YUV, HDMI (x2) & CV (x2) Input 17.3" 1600 x 900 LED Backlight Panel, built in Tally TLM-170HR 17,3 inch TFT LCD monitor 7U RACKMOUNT TLM-170H 17,3 inch TFT LCD monitor DESKTOP TLM-170HM 17,3 inch TFT LCD monitor 1U	
DATAVIDEO TLM-404H	updated version of the popular TLM-404. now with higher resolution panels. High Quality 4x 4", 4:3 ratio LCD/TFT monitor system. Panel resolution 960x234 pixels. View angle (V) +10/-30, (H) +45/-45 degrees. Auto PAL/ NTSC detection. Individual adjustments for brightness, contrast, colour, tint (NTSC only). 4x Composite video in (loop through). 3 Colour tally system. 19" Rackmountable, 2U high. Can be tilted +/- 45 degrees. 12V dc input.	276 200 Ft
DATAVIDEO TLM-433	110-240V ac adapter included. High Quality 3x 4,3", 16:9 ratio LCD/TFT monitor system. 4:3 ratio compatible. Panel resolution 480x270 pixels. View angle =(V)+40/-60, (H)+60/-60 degrees. Auto PAL/ NTSC detection. Individual adjustments for brightness, contrast, colour, tint (NTSC). 3x Composite video in (loop through). 2 Colour tally system. 19" Rackmountable, 2U High.	229 600 Ft
DATAVIDEO TLM-434H	Can be tilted +/- 30 degrees. 12V dc input. 110-240V ac adapter included. High Quality 4x 4,3", 16:9 ratio LCD/TFT monitor system. 4:3 ratio compatible.	552 400 Ft

Input: HD/SD SDI, HDMI, output: loop Through
resolution 480 x 272 pixels, 16:9 ,/ 4:3 For use with Se-3000

DATAVIDEO TLM-43LB	High Quality 4,3" lookback monitor, 16:9 ratio LCD/TFT monitor system. 4:3 ratio compatible.	0 Ft
DATAVIDEO TLM-700	High Quality 7", 16:9 ratio LCD/TFT monitor. 4:3 ratio compatible. Panel resolution: 480x234 pixels. View angle (V) +40/-60, (H) +60/-60 degrees. Auto PAL/ NTSC detection. Individual adjustments for brightness, contrast, colour, tint (NTSC only). 2 Selectable composite video inputs (loop through). 2 Colour tally system. 12V dc input. 110-240V ac adapter + sunshield included.	89 100 Ft
DATAVIDEO TLM-700HD - V mount	High res. 7", 16:9 ratio LCD/TFT monitor. 4:3 ratio compatible. Panel resolution: 800x480 dots. HD/SD -SDI , YUV, CV and HDMI input Standard V mount enabeling powering up with universal battery for in the field use. Audio indicator for SDI, HDMI	193 000 Ft
DATAVIDEO TLM-700HD-A TLM-700HD-C TLM-700HD-S1 TLM-700HD-S2 TLM-700HD-P	Safe area indicator High res. 7", 16:9 ratio LCD/TFT monitor. Anton Bauer battery mount High res. 7", 16:9 ratio LCD/TFT monitor. Canon battery mount High res. 7", 16:9 ratio LCD/TFT monitor Sony Z5 (s1) battery mount High res. 7", 16:9 ratio LCD/TFT monitor Sony Z5 (s2) High res. 7", 16:9 ratio LCD/TFT monitor. Panasonic battery mount	
DATAVIDEO TLM-700PD	7" 16:9 HD Monitor with Industrial Grade Panel Specification is similar to TLM-700HD but panel lifetime is 50.000 hours (HD panel max 10.000 hours) Ideal for 24/7 applications	217 600 Ft
DATAVIDEO TLM-702	2 x 7" 16:9 Wide Screen Monitors in 19" Rack Mount with 90 degree tilt Auto PAL/NTSC. 2 colour tally light. Individual control for contrast, brightness, colour	176 200 Ft
DATAVIDEO TLM-702HD	Video Loop thro. 12v DC / 240v AC. 30 day Guaranteed against spot light defect. 2 x 7" 16:9 Wide Screen Monitors in 19" Rack Mount with 90 degree tilt Blue Only Function, Brightness, Contrast & Colour Adjustment (& Tint NTSC only). Colour Bars	335 600 Ft

NTSC/PAL Auto Switching. Audio level Indicators . HD/SD-SDI, YUV, CV, HDMI & Tally Input.
Headphone output. DC Input via 12v PSU (Supplied).

DATAVIDEO Termék típusa	LCD Monitor Accessories	
G13304581201-AUO	SDI Module for TLM-170 and TLM-170M contact office for compatibility	
DATAVIDEO RP-170 for Chimei	Module for TLM-170 and TLM-170M contact office for compatibility	
DATAVIDEO RP-170 for AUO TLM-433JF	TLM-170M Sliding Rackmount for Chimei contact office for compatibility	76 200 Ft
	TLM-170M Sliding Rackmount module for AUO contact office for compatibility Universal Desktop Stand / Holder suitable for:	
	SE-800 + TLM-404 & TLM-702 (or single monitor) with or without ITC-100	
DATAVIDEO BH-05	SE-1000 + 1 or 2 x TLM-433 with or without ITC-100 Ball & Socket Head to mount TLM-350, TLM-700 or TLM-70D monitor on cameras.	9 700 Ft

Termék típusa	HD and SD FIELD MONITORING SETS	Ár
DATAVIDEO HRS-10	Field Monitor / Recorder built into a handy carrying case Unit is based on the TLM-700 Monitor and DN-400 Recorder (see individual products for specs)	454 400 Ft

DATAVIDEO HRS-10HD	As HRS-10, but built around the TLM-700HD Monitor and HDR-40 HD/SD-SDI Recorder (see individual products for specs)	663 300 Ft
---------------------------	--	------------

DATAVIDEO HRS-10BB SD / PD	Barebone system to produce own system. For those who already own datavideo recorder and/ or monitor. including SD Cable and TLM-700 FRAME	73 200 Ft
DATAVIDEO HRS-10BB HD	Barebone system to produce own system. For those who already own datavideo recorder and/ or monitor. including HD Cable and TLM-700HD FRAME	73 200 Ft

Termék típusa	Digital Video Network player Media Presenter Network Server	Ár
DATAVIDEO MP-1000	Versatile digital media player with LAN and internet connectivity. Including CF card and server software Updated by network connection. DVD quality content can be scheduled remotely or locally. Support for RSS, enables automatic updated scrolling text. Supports JPEG for slideshows, MPEG 1,2,4 AVI and DVIX moviefiles and WAV soundfiles	89 100 Ft

Termék típusa	CHROMA KEY	Ár
DATAVIDEO DVK-200	2 Input (1 Camera + 1 Background) Chromakeyer (DVI, YUV, Y-C, & CV Connections) Output signal is S-Video & Cvs. Key on Blue / Green or Luminance RS-232 Control. Brightness, Contrast, Saturation & Tint (NTSC Only) adjustment. NTSC / PAL switchable	277 200 Ft
DATAVIDEO RF-1025	High Quality Reflection fabric 0.90 x 2.50 mtr connectable with Velcro	69 300 Ft
DATAVIDEO LD-1 / 82	Green/ Blue LED light-ring including controlbox with power supply. Light ring is switchable from Blue to Green (either manually, or via GPI from DVK-100) and can be installed on cameralenses with a diameter of 82 mm . For example Panasonic HVX-200	98 800 Ft
DATAVIDEO LD-1 / 72	Green/ Blue LED light-ring including controlbox with power supply. Light ring is switchable from Blue to Green (either manually, or via GPI from DVK-100) and can be installed on cameralenses with a diameter of 72 mm . A Ø 58 mm to 72 mm step ring is included to cover even more cameras. (from sn. 00103282 and after)	98 800 Ft
DATAVIDEO G09220570011	82mm to 82mm extender ring for fitting a LD-1 onto example CANON XF-305	11 600 Ft
DATAVIDEO G09220428051	Extended lens adapter 58 to 72 mm. For example for fitting a LD-1/72 onto CANON GL-2 Camera	8 900 Ft

(note: risk of vignetting at full wide-angle mode)

DATAVIDEO G09220428021	Lensadapter 82 -72 mm (note: risk of vignetting at full wide angle-mode)	5 700 Ft
DATAVIDEO G09220428031	Lensadapter 58-72 mm	3 700 Ft
DATAVIDEO G09220428041	Innersteady for LD-1, 82 mm	7 700 Ft
DATAVIDEO CKL-300/72	Set of light ring LD-1/72 mm and Reflection Fabric RF-1025 3 pcs. Set is unlimited expandable.	276 200 Ft
DATAVIDEO CKL-300/82	Set of light ring LD-1/82 mm and Reflection Fabric RF-1025 3 pcs. Set is unlimited expandable.	276 200 Ft
DATAVIDEO -	Background stand for use with Reflection fabric comprising 2x tripods and 1 cross bar. Max height of the stand is 2.70 meter and the max. width is 3 meter. Ideal for use with the CKL-200	35 400 Ft

Termék típusa	Distribution Amplifiers Product Description	Ár
DATAVIDEO VP-299	4 Way distribution amplifier. Y/C & Composite Video connections + stereo audio Metal case - suitable for commercial applications. 12v DC / 240v AC	23 500 Ft
DATAVIDEO VP-445	1 Input/ 4output HD/SD SDI Distribution Amplifier (no scaling). 12v DC / 240v AC Low power consumption. Metal Case.	58 400 Ft

Termék típusa	Software - Live character Generator & DV Scan converter	Ár
DATAVIDEO CG-100	SDI Character Generator Software for live text on SE-800 using SDI overlay input facility. Highest quality SDI graphic overlay character & logo solution. Utilises BlackMagic Design DeckLink SDI cards (not included) for high quality, cost effective solution. CG-100 is only Windows XP Pro sp.2 and Windows Vista Business SP1 compatible SOFTWAREKEY BY DONGLE	197 800 Ft

DATAVIDEO CG-350	<p>HD & SD SDI Character Generator Software for live text using HD-SD SDI overlay input facility. 356 200 Ft</p> <p>The CG-350 is Windows-based character generators designed for live production and post production. Also suitable for Arabic text. Text direction can be changed.</p> <p>Will work with BMD Decklink or AJA Xena card, as a downstream keyer or as key and fill sources (depending on the card). Dynamic Lower Thirds 32 Bit color and animated text layers. Auto-updating text fields, live time clock and program-independent banner crawls (CG-350 only) Softwarekey by Dongle.</p>
DATAVIDEO PPT-100	<p>IEEE1394/ VGA to SDI / DV Scan Conversion software 39 400 Ft</p> <p>Provides VGA display output via Firewire/IEEE1394. Ideal solution for PowerPoint & Similar using DV Mixer such as SE-800</p>

Termék típusa	I PROMPTER	Ár
DATAVIDEO TP-100	<p>TP-100 Smart Phone Teleprompter</p> <p>Portable Teleprompting Solution utilizing your Apple iPod Touch or iPhone (+ most Adroid Phones Q2 2011) Comprises Hood (suitable for any camera or camcorder with 30.5 - 82mm lens filter ring) and Universal cradle to suit a variety of smart phones. Adapter rings supplied: 77/ 72/ 55/ 52/ 43/ 40,5/ 37 and 30,5 mm. Includes a wired remote control for text scroll speed , next chapter etc. Datavideo iPrompter software is available as free download from the Apple App store</p>	79 000 Ft
DATAVIDEO TP-200	<p>TP-200 iPad Teleprompter</p> <p>iPad can be mounted either in the traditional way using the included camera and tripod support rails, hood and beam splitter glass, or under the lens for use with retro-reflective light. Suitable for most cameras. Includes a wired remote control for text scroll speed , next chapter etc. Datavideo iPrompter software is available as free download from the Apple App store</p>	98 800 Ft
DATAVIDEO WR-100	wired remote	26 700 Ft
DATAVIDEO WR-200	wireless remote	31 400 Ft
DATAVIDEO HC-200	Hadcase for TP-200	26 700 Ft
DATAVIDEO GR-100	glass replacement for TP-100	14 800 Ft
DATAVIDEO GR-200	glass replacement for TP-200	18 800 Ft
Termék típusa	Turnkey LIVE Character Generator System	Ár
DATAVIDEO SD CG STUDIO	CG-100 SD Live CG Turnkey system, fully configured and ready to go. Comprises:	693 000 Ft

DATAVIDEO HP dc8100 minitower	HP dc8100 CMT minitower, Intel Core i3-550 Processor Windows 7 Professional 32-bit * see note 4GB PC3-10600 Memory (4x 2GB) NVIDIA NVS295 PCIe x16 Graphics Card 320GB SATA 3 Gb/s 7200 Harddrive HP DVD ROM PS/2 Keyboard & mouse HP 3-3-3 Warranty Blackmagic Decklink SDI Card Datavideo CG-100 Software pre-installed -dongle version-	
DATAVIDEO SD/HD CG STUDIO	CG-350 HD/SD Live CG Turnkey system, fully configured and ready to go. Comprises:	988 000 Ft
DATAVIDEO HP dc 8100CMT	HP Compaq 8100 Elite CMT PC Windows 7 Professional 32-bit Windows 7 Pro 32/64 bit Recovery DVD Intel Core i3-550 Processor 4GB PC3-10600 Memory (2x2GB) 250GB SATA 3.5 1st Hard Drive NVIDIA Quadro NVS 290 PCIe x16 1st Card HP PS/2 Standard JB Keyboard HP PS/2 Optical JB Mouse DVD-ROM (JB) #1 Intel Pro 1000 CT GbE NIC Card HP 3y Next Bus. Day Onsite DT / WS HW Supp Installed BlackMagic Design DeckLink HD Extreme 3D Plus Datavideo CG-350 pre-installed and including dongle	
DATAVIDEO ABU	On special request we can supply other language for the OS system	
DATAVIDEO Warranty	Computers are shipped under full HP 3-3-3 International warranty. Blackmagic covered by BMD	
DATAVIDEO with English OS and Keyboard	One week. With other OS System versions 3 weeks.	

Black Magic Design for customersatisfaction only

Ár

Decklink HD Extreme 3D+- BM071	Decklink HD Extreme 3D+ Card for CG-100 (SD only!) and CG-350 (HD & SD). SDI & Analogue I/O	185 100 Ft
Decklink SDI - BM035	Decklink (HD/SD) SDI card for CG-100 (SD only!) and CG-350 (SD only!)	59 200 Ft
Decklink Studio 2 - BM057	Decklink Studio 2 card for CG-100 (SD only!) and CG-350 (SD only!). SDI & Analogue I/O	133 600 Ft
For more productinformation please visit: www.blackmagic-design.com		
Service and support by BMD only +31 756572450		
Termék típusa	Digital Video Mixers and Mobile Video Accessories	Ár
DATAVIDEO RMC-180	RMC-180 is the new PTZU control box for Panasonic PTZ camera's AW-HE100H and AW-HE50H. Can be connected by through an IP network which opens a sea of possibilities.	297 000 Ft
DATAVIDEO RMC-190	RMC-190 is the new PTZ control box for Datavideo PTC-100 PTZ camera.	297 000 Ft

DATAVIDEO AW-HE50SE	Panasonic PTZ Camera AW-HE50SE HD-SDI output 1x 1/3" Full-HD MOS sensor, 18x zoom (4.7 - 84.6 mm), f/1.6-2.8. Min. Illum.: 3 Lux. Supports 1080i, 720P, 576i. For use icw RMC-180 the optional Panasonic multi-interface cable AW-CA20T6G is required.	1 168 200 Ft
DATAVIDEO AW-CA20T6G	Panasonic Cable to control AW-HE50SE with RMC-180 Also provides analog (HD) YUV out and Cvbs out.	48 500 Ft
DATAVIDEO PTC-100	PTC-100 HD-SD and HDMI I output, CVBS output. Full HD 1/3" CMOS sensor with effective resolution of 1920x1080. High sensitivity to support low lux environment. PTC-100 incorporate 20 x HD optical zoom lens plus 10x digital zoom. Digital noise reduction system. Ceiling bracket included. Dual Tally light.	0 Ft
DATAVIDEO AD-100	Audio delay box to synchronise video and audio. Features RCA (phono) connector as well as XLR connectors. Max delay: 700 ms	96 800 Ft
DATAVIDEO AM-100	19 inch rackmount audiomixer. 1U	116 800 Ft

DATAVIDEO VS-100	VS-100 Sampling video scope Supports 5 modes; WaveForm monitor, Vector scope, Parade, histogram, / video in thumbnails. aquisition and display; single line, single field and whole frame. input: HD/SD-SDI (3G with future FW update)	0 Ft
DATAVIDEO CCU-100	CCU-100 Camera control unit for remote control of Sony or Canon camera. One CCU can control 4 camera's and supports ATW, shutter speed, etc. The CCU can be connect to CCU--RC-1 which converts RS-422 to LANC (control L) protocol. or control M for Panasonic.	0 Ft
DATAVIDEO ITC-100	Full duplex intercom/ talkback system (max. 8 ch). Includes base station, gooseneck mic. and light for base station, 4x ITC100 SL Belt Pack (see ITC-100 SL for more details) Including CB-17	237 400 Ft
DATAVIDEO ITC-100SL	Additional Belt pack kit for ITC-100. Contains: 1x ITC-100SL Beltpack, 1x TD-1 tally light, 1x CB-7 1.2 M tally cable, 1x MC-1 Microphone headset, 1x CB-3 20 meter Intercom cable 1x CB-17	39 400 Ft
DATAVIDEO LP-1	XLR Gooseneck light for ITC-100.	10 800 Ft
DATAVIDEO MC-2	XLR Gooseneck microphone for ITC-100.	13 600 Ft
DATAVIDEO MC-1	Headphone with mic. for ITC-100SL.	2 300 Ft

DATAVIDEO CB-17

3,5 mm jack to Headphone / Mic adapter.
To use a standard Skype headset with microphone with ITC-100 SL Beltpack

900 Ft

Termék típusa	POWER SUPPLY CENTERS Product Description	Ár
DATAVIDEO PD-1	Power Center for Mobile Video Studio. Features AC/DC input + AC/DC output (AC out only with AC in). 10 x DC outputs (XLR + Locking 5.5 mm)	148 500 Ft
DATAVIDEO PD-3	Universal power distribution centre with 8 power outlets. Each outlet can be configured as DC25V, 18V, 14,4V & 12V. max power consumption 360 Watts. Standard 19 inch rack mountable For use with CB-22/ 23 All in One cable and DDC-4012/ DDC-2512 DC/DC converter for phantom power.	277 200 Ft
DATAVIDEO DDC-4012	DC/ DC converter for Phantom power in combination with PD-3 power distribution centre and CB-22/ 23 All in One cable Switchable 7,2 or 12V DC output	31 600 Ft
DATAVIDEO DDC-2512	DC /DC converter for Phantom power in combination with PD-3 power distribution centre and CB-22/ 23 All in One cable Fixed 12V DC output	27 700 Ft

Termék típusa	Time Base Correctors - Matrix Switcher Product Description	Ár
DATAVIDEO TBC-5000	TBC & Matrix switcher Frame synchronizer 4:2:2 Multi functions with 4 TBC. 4 in -1 out synchronization video switcher, 4 in -4 out a synchronous 4 in 2 out . Combined with DVK-100 chromakeyer, user can assemble low cost dual camera virtual broadcast studio for entertainment applications. Can be mounted in 19 inch rack see bracket 2200-9530	158 200 Ft

Termék típusa	Digital to Analogue Converters Product Description	Ár
DATAVIDEO DAC-7	Analog to SDI video converter in Tripod mount housing for easy use during shooting. DAC-7 converts Cvbs, S-video and YUV to standard defenition SDI (no scaling). Embedder for balanced and unbalanced analogue audio to SDI.	89 100 Ft
DATAVIDEO DAC-8	SDI to HDMI converter	84 100 Ft
DATAVIDEO DAC-8P ETD 12-2012		
DATAVIDEO DAC-9	HDMI HD-Video to HD/SD-SDI Converter Allows user to connect HDMI equipment to professional HD-SDI equipment	84 100 Ft

like mixers and recorders up to 200 meter away.

Embeds audio from HDMI signal into HD-SDI signal.

Supported input formats: 480i, 576i, 720P50/ 59,94/ 60 and 1080i50/ 59,94/ 60

DATAVIDEO DAC-50

HD/SD-SDI to (HD) component YUV & Composite video signal converter

108 900 Ft

Built in UP/DOWN SCALING The built in scaler allows you to convert any HD-SDI or SD-SDI signal to HD-YUV, SD-YUV or even Cvs DAC-50 can also Cross convert from 1080i to 720P

Termék típusa

Digital to Analogue Converter Accessories

Ár

DATAVIDEO BAC-03

Two way balanced <> unbalanced audio converter

44 500 Ft

DATAVIDEO CAD-01

Converts phono/ RCA to XLR audio and vice versa Can be used with DAC's or SE-800 Mixer/ switcher
Balanced to Unbalanced (XLR female to RCA male) audio attenuator (-10dB) (2 pc.)

5 700 Ft

Mobile Video Studio Internal Components & Patch Bays

Ár

DATAVIDEO RP-1

Patch Panel to provide 4 Analogue YUV & composite video input connections for SE-800
1U

37 400 Ft

DATAVIDEO RP-4

Patch Panel with built in RMC-140 (for tally and Quad and Preview) and BAC-03
(see individual items for function description)
1U

118 600 Ft

DATAVIDEO RP-6

Patch Panel to provide connection to ITC-100, SDI overlay in/out and SDI out of SE-800
8x 5 pin XLR connector for the ITC-100SL connecting, DB9 for tally input,
and 3x BNC for SDI connection of SE-800
1U

38 600 Ft

DATAVIDEO RP-9

The SE-800 Sliding shelf. Custom built to hold the SE-800 /SE-800AV
Total height with mixer: 4U

77 000 Ft

DATAVIDEO RP-10	The SE-500 Sliding shelf. Custom built to hold the SE-500 Total height with mixer: 2U	59 200 Ft
DATAVIDEO RP-11	3U cover panel	9 700 Ft
DATAVIDEO RP-12	1U cover panel	5 900 Ft
DATAVIDEO RP-14	Universal tray for DVD Recorder / Player 2U	29 500 Ft
DATAVIDEO RP-15	Cable set for MS-500	19 600 Ft
DATAVIDEO RP-17	MS-500 Patch Bay for ITC-100 & Tally 2 groups (A+B) of 5 pin XLR connectors for ITC100SL 1U	39 400 Ft
DATAVIDEO RP-18	Patch Bay for MS-500. Provides connections to 4x Cvbs in, 1x Cvbs Out and also 1x Cvbs input for TLM-702 (V2, to monitor auxillary equipment). Also provides 3 x DC power outputs. CH-1+2 Audio in and Out 1U	39 400 Ft
DATAVIDEO RP-28	MS-900, hinge for SE-900 Key board	47 300 Ft
DATAVIDEO RP-31	MS-900 patch panel for ITC-100. 8x 5 pin XLR I/O connector for ITC-100SL.	39 400 Ft
DATAVIDEO RP-32	19 inch Tray for 2 pcs. CP-100	39 400 Ft
DATAVIDEO RP-33	19 inch Tray for 2 pcs. DVK-100	27 500 Ft

DATAVIDEO RP-34	MS-900 cable set	29 700 Ft
DATAVIDEO RP-45	1u rear panel 8 CVBS output for Return video / 1 in - 8 out amplifier	25 700 Ft

Termék típusa	Flight Cases	Ár
DATAVIDEO CASE 8U	Datavideo Flight Case 8U Aluminium Sliding shelf not included	138 400 Ft
DATAVIDEO CASE 12U	Datavideo Flight Case 12U Aluminium (case only!) Sliding shelf not included	158 200 Ft

Size in cm H x D x W = 77 x 71 x 59

Termék típusa	DV Cables & Repeaters - Product Description	Ár
DATAVIDEO DVM2264	IEEE1394 / DV Firewire Cable 1.8M (6P-4P) 400mbps	2 300 Ft
DATAVIDEO DVM2266	IEEE1394 / DV Firewire Cable 1.8M (6P-6P) 400mbps	2 300 Ft
DATAVIDEO VP-314	In line DV signal repeater. Allows you to connect 6-Pin DV cables together enabling cable runs up to 200m. Supplied with tie wraps to ensure cables do not pull out. Takes power from DV cable (must have 1 device in chain providing power)	6 900 Ft

Termék típusa	Cables Product Description Master Carton	Ár
DATAVIDEO DVM-2066	High Quality 20M IEEE1394/DV Cable. 6 Pin- 6 Pin (6P-4P Adapt available) 200mbps. Suitable for all DV / DVCAM.	17 600 Ft
DATAVIDEO DVM-1066	High Quality 10M IEEE1394/DV Cable. 6 Pin- 6 Pin (6P-4P Adapt available)	15 600 Ft

200mbps. Suitable for all DV / DVCAM.

11 600 Ft

Use either DV repeater to join multiple cables - (max 200m)

DATAVIDEO 1078

**TASKER 1078 HD-SDI High Quality Cable including HQ connectors (assembled) 20 mtr and >
PRICE PER METER**

DATAVIDEO RG59 Flex

**TASKER RG59 Flex High Quality SDI Cable including connectors (assembled) 20 mtr and >
PRICE PER METER**

DATAVIDEO CB-1 -

50m Tally Light Extn Cable (Male - Female)

9 700 Ft

DATAVIDEO CB-2

To convert S-video connector with lock to 2 BNC connectors
Usefull in combination with SE-500. Can transmit S-video over long distance by using two
standard BNC cables.

3 900 Ft

SET of 2 pcs.

DATAVIDEO CB-3

20 m Intercom extension Cable 5 pin XLR connector for use in combination with ITC-100SL
max. 200 mtr.

9 700 Ft

DATAVIDEO CB-4

50 m Intercom extension Cable 5 pin XLR connector for use in combination with ITC-100SL
max. 200 mtr.

20 700 Ft

DATAVIDEO CB-7

GPI / Tally cable 1.2 Mtr.

300 Ft

DATAVIDEO CB-8	3,5 mm jack to 4 pin XLR cable adapter for ITC-100 SL beltpack	1 700 Ft
DATAVIDEO CB-9	DV-I Cable black 1.8 mtr. For use with SE-1000	4 300 Ft
DATAVIDEO CB-10_HD	High Quality HD/ SD cable, YUV 4*BNC-4*BNC, length 3Mtr. Made by Canare (Japan). For use with SE-1000/ SE-2000	14 800 Ft
DATAVIDEO CB-14_SD	High Quality SD cable, YUV 4*BNC-4*BNC, length 3Mtr. Made by Canare (Japan). For use with SE-800/ SE-900	6 500 Ft
DATAVIDEO CB-15U	DV cable with 6 pin FireWire connector in 90 degrees upright position. Very usefull cable for use with all HDD recorders as it will reduce the downforce on the connector length about 20 cm	2 900 Ft
DATAVIDEO -	DV cable with 6 pin FireWire connector in 90 degrees down right position. Very usefull tool for use with all HDD recorders as it will reduce the downforce on the connector length about 20 cm	2 900 Ft
DATAVIDEO CB-19	DVI-D <-> DVI-D Cable black 1.8 mtr.	4 300 Ft
DATAVIDEO CB-20	DVI <-> HDMI Cable black 1.8 mtr.	4 100 Ft

DATAVIDEO CB-21	DVI <- > VGA Cable black 1.8 mtr.	2 900 Ft
DATAVIDEO CB-22	All in one cable for use with HD/SD-SDI and Cvbs MVS systems. 18AWG Includes connectors for Intercom & Tally, Phantom power, Video (incl.HD-SDI) & return video. Length: 30 meter	64 300 Ft
DATAVIDEO CB-23	All in one cable for use with SD/HD SDI and Cvbs MVS systems. 18 AWG Includes connectors for Intercom & Tally, Phantom Power, Video (incl. HD-SDI) & return video. Length: 50 meter	94 000 Ft
DATAVIDEO CB-24	All in one cable for use with SD-SDI and Cvbs MVS systems. 18 AWG Length: 100 meter	137 600 Ft
DATAVIDEO CB-25	RS233 control cable for recorder DN-60	1 100 Ft
DATAVIDEO CA64	30cm 6P(female)-4P(male) adapter - to convert 6P fitting to 4P fitting.	1 900 Ft