

Model	Leírás	Nettó ár
cikkszám végződés jelentése: A: Gold-mount, S: V-mount, F: Sony L széria, P: Panasonic CGA széria, B: Panasonic VBG6 széria M: Sony NP-QM széria, J: JVC BNV széria, C: Canon BP széria, U: Sony BP-U széria, E: Canon LP-E6 széria, V: JVC BN-VF823 akkuhoz, I: JVC SSL széria, D: Panasonic VBD58		
ÚJ TERMÉKEK		
S-1093FA/S/F/P/J/C/U/E/B/V/I (Simple package)	9" full HD, 3GSDI/HDMI, 1920*1200 including hood, cold shoe/screw arm trestle 6.5-17V	490 072 HUF
S-1093FA/S/F/P/J/C/U/E/B/V/I (Luxury package)	including additional carrying case, U shape desktop stand, D-tap to 4-pin XLR cable 6.5-17V	518 900 HUF
M-1093F	9"x2, 1920x1200 3GSDI/HDMI/CVBS Waveform, Vector Scope, RGB histogram hamarosan	933 470 HUF
S-4609	SDI Audio De-Embedder 3W	89 943 HUF
S-4610	SDI Audio Embedder 3W	89 943 HUF
S-8340S	Heavy Duty Digital Li-ion Battery, IP66 Protection Max 150W 12A high load Support fast charging by S-3812S Hamarosan 160Wh 14.4v	96 367 HUF
S-8360S	Heavy Duty Digital Li-ion Battery, IP66 Protection Max 200W 12A high load Support fast charging by S-3812S Hamarosan 250Wh 14.4v	139 197 HUF
S-3812S	2-ch Simultaneous Fast charger & adaptor Hamarosan Max DC16.8V, 6Ax2	155 258 HUF
S-4915FF	Wireless Transmitter&receiver, Uncompressed 3GSDI, 150m LOS, <1ms latency 1 SDI input, 1 HDMI input, 5.1-5.9GHz, license free, SONY F970 battery mount	803 059 HUF
S-4010	4-Battery power station boks Dual 12v output	187 380 HUF

S-4020	4-Battery power station boks 12v/24V output	214 149 HUF
S-4030	4-Battery power station boks Dual 24v output	214 149 HUF
UTOLSÓ DARABOK		0 HUF
S-1221FA	21.5" Waveform HDSDI/HDMI LCD monitor, 1920*1080, including desktop stand – Gold- mount 11-17V	445 869 HUF
S-1090HP (Simple package)	9" kamera monitor 3G/HD/SD-SDI, HDMI, kompozit bemenet, 1280×768 felbontás, 800:1 kontraszt, tartozékok: gőmbcsuklós/fotopapucsos tartókonzol, napellenző, Panasonic „CGA” DV akku.hátlap, LCD védő matrica, tápegység 15W 6,5V-17V	274 550 HUF
S-2050	Kameralámpa – Chip array LED, D-tap 12- 18V, with S-7104 cable 48W 2200Lx	75 501 HUF
S-2030	Kameralámpa – 12 LED fényerőszabályozós kamera lámpa, D-tap csatlakozó, lágyító előtét, 2200 lx fénytjeljesítmény, 5600K 24W 2200Lx	66 716 HUF
S-2010P	Kameralámpa – SWIT S-2010 lámpa és SWIT S-7200P DV akkumulátorkonzol Panasonic „CGA” típusú akkumulátorhoz 12W 1100Lx	67 265 HUF
S-2010F	Kameralámpa – SWIT S-2010 lámpa és SWIT S-7200F DV akkumulátorkonzol SONY „L” szériás akkumulátorhoz 12W 1100Lx	67 265 HUF
S-8020	kameralámpa akkumulátor – speciális akkumulátor S-2020 kamera lámpához (1,5 óra 100% fényerővel) 7,9Wh 3,6V	7 962 HUF
S-4100S	Kameratápegység – AC adapter V-mount kamerára 5,3A 15V DC	99 113 HUF
VEZETÉKNÉLKÜLI RENDSZER		0 HUF
S-4904A	Wireless Transmitter&receiver, Uncompressed 3GSDI, 700m LOS, <1ms latency 1 SDI input, 1 HDMI input, 5.1-5.9GHz, license free, Gold mount	1 606 118 HUF
S-4904S	Wireless Transmitter&receiver, Uncompressed 3GSDI, 700m LOS, <1ms latency 1 SDI output, 1 HDMI output,5.1-5.9GHz, license free, V-mount	1 606 118 HUF

S-4914(F/P/J/C/U/B/V/I)(A)	Wireless Transmitter&receiver, Uncompressed 3GSDI, 700m LOS, <1ms latency, 1 SDI input, 1 HDMI input, 5.1- 5.9GHz, license free. Transmitter with F/P/J/C/U/B/V/I battery mount, receiver with gold mount	1 552 580 HUF
S-4914(F/P/J/C/U/B/V/I)(S)	Wireless Receiver, Uncompressed 3GSDI, 700m LOS, <1ms latency Transmitter with F/P/J/C/U/B/V/I battery mount, receiver with V-mount	1 552 580 HUF
LCD MONITOR		0 HUF
S-1242HA/S	23.8" HDSDI/HDMI, 1920*1080 including desktop stand, TSL UMD 11-17V	547 727 HUF
S-1242FA/S	23.8" Waveform HDSDI/HDMI, 1920*1080 including desktop stand, TSL UMD 11-17V	576 555 HUF
S-1222FA/S	21.5" Waveform HDSDI/HDMI, 1920*1080 including desktop stand, TSL UMD 45W 11-17V	518 900 HUF
S-1221HA/S	21.5" 3GSDI/HDMI, 1920*1080, Audio Meters including desktop feet and battery mount 40W 11-17V	455 478 HUF
S-1161HA/S	15.6" 3GSDI/HDMI, 1920*1080, Audio Meters including desktop feet and battery mount 40W 11-17V	345 933 HUF
S-1092HA/S/F/P/J/C/U/E/B/V/I (Simple package)	8.9" full HD, 3GSDI/HDMI, 1920*1200 including hood, coldshoe/screw arm trestle 18W 6.5-17V	357 464 HUF
S-1092HA/S/F/P/J/C/U/E/B/V/I (Luxury package)	including additional carrying case, U shape desktop stand, D-tap to 4-pin XLR cable 18W 6.5-17V	386 292 HUF
S-1071FA/S/F/P/J/C/U/E/B/V/I (Simple package)	7" Waveform HDSDI/HDMI, 1024*600 including hood, coldshoe stand, LCD protector 15W 6.5-17V	340 167 HUF
S-1071FA/S/F/P/J/C/U/E/B/V/I (Luxury package)	including additional carrying case, HDMI cable, arm trestle, and D-tap to 4-pin XLR cable 15W 6.5-17V	368 995 HUF
S-1071HA/S/F/P/J/C/U/E/B/V/I (Simple package)	7" 3GSDI/HDMI/CVBS, 1024*600 including hood, coldshoe stand, LCD protector 8W 6.5-17V	224 856 HUF
S-1071HA/S/F/P/J/C/U/E/B/V/I (Luxury package)	including additional carrying case, HDMI cable, arm trestle, and D-tap to 4-pin XLR cable 8W 6.5-17V	253 684 HUF

S-1071F(EFP) (Simple package)	7" Waveform HDSDI/HDMI, Pic-in-Pic SDI/CVBS including hood, coldshoe stand, LCD protector 15W 6.5-17V	432 416 HUF
S-1071F(EFP) (Luxury package)	including additional carrying case, HDMI cable, arm trestle, and D-tap to 4-pin XLR cable 15W 6.5-17V	461 244 HUF
S-1071H(EFP) (Simple package)	7" 3GSDI/HDMI/CVBS, Pic-in-Pic CVBS including hood, coldshoe stand, LCD protector 8W 6.5-17V	270 981 HUF
S-1071H(EFP) (Luxury package)	including additional carrying case, HDMI cable, arm trestle, and D-tap to 4-pin XLR cable 8W 6.5-17V	299 809 HUF
S-1071CA/S/F/P/J/C/U/E/B/V/I (Simple package)	7" HDMI/CVBS, 1024*600 including hood, coldshoe stand, LCD protector 6W 6.5-17V	109 545 HUF
S-1071CA/S/F/P/J/C/U/E/B/V/I (Luxury package)	including additional carrying case, HDMI cable, arm trestle, and D-tap to 4-pin XLR cable 6W 6.5-17V	138 373 HUF
S-1071CA/S/F/P/J/C/U/E/B/V/I PLUS (Simple package)	7" HDMI/CVBS, 1024*600, focus assist including hood, coldshoe stand, LCD protector 9W 6.5-17V	144 139 HUF
S-1071CA/S/F/P/J/C/U/E/B/V/I PLUS (Luxury package)	including additional carrying case, HDMI cable, arm trestle, and D-tap to 4-pin XLR cable 9W 6.5-17V	167 201 HUF
S-1051HF/P/J/C/U/E/B/V/I (Simple package)	5" 3GSDI/HDMI/CVBS including hood, coldshoe stand, LCD protector 6W 6.5-17V	144 139 HUF
S-1051HF/P/J/C/U/E/B/V/I (Luxury package)	including additional carrying case, HDMI cable, arm trestle, and D-tap to 4-pin XLR cable 6W 6.5-17V	172 967 HUF
M-1092H	9"×2, 1920x1200 3GSDI/HDMI/CVBS Peaking focus assist, SDI / HDMI embedded audio meter display hamarosan 11-17V	749 522 HUF

M-1071A	7", 1024*600, HDSDI/HDMI/CVBS Audio Phase, Peak Wave, VU&PPM 17W 6.5-17V	547 727 HUF
M-1072A	7", 1024*600, HDSDI/HDMI/CVBS, Loudness waveform and histogram, audio level meter & loudness meter 17W 6.5-17V	547 727 HUF
M-1071F	7"×2, 1024*600 Waveform, HDSDI/HDMI/CVBS 24W 6.5-17V	680 335 HUF
M-1071H	7" ×2, 1024*600 3GSDI/HDMI/CVBS 15W 6.5-17V	449 713 HUF
M-1071C	7" ×2, 1024*600 HDMI/CVBS 12W 6.5-17V	219 091 HUF
M-1051H	5" ×3 16:9/4:3 3GSDI/HDMI/CVBS 18W 6.5-17V	432 416 HUF
S-7107	Standard HDMI cable	8 044 HUF
S-7380	Screw Arm Mount for monitors and accessories	16 061 HUF
S-7370	S-7380 with 15mm rod fit adapter, for rig system	26 769 HUF
S-7320	BNC video cable, length option: 1.5m, 2m, 2.5m	10 707 HUF
S-7301	Pan tilt head with cold shoe (standard in S-1090, 1071, S-1051)	6 974 HUF
S-7302	Pan tilt head with screw	6 974 HUF
S-7390	Dual monitor crane stand, for S-1090 series	32 122 HUF
S-7360	Dual monitor stand, for S-1071 series	32 122 HUF
A-PG22	Protective glass for S-1221	16 061 HUF
A-PG16	Protective glass for S-1161	10 707 HUF
A-VS22	Rotatable desktop stand with VESA installation for S-1221	21 415 HUF
A-VS16	Rotatable desktop stand with VESA installation for S-1161	21 415 HUF
A-RK22	19-inch rack install bracket for S-1221	21 415 HUF
A-RK16	19-inch rack install bracket for S-1161	21 415 HUF
S-7106	Hirorse to 4P XLR cable	26 769 HUF
KAMERA LED LÁMPA		0 HUF
S-2070	Chip array LED, DC 6-17V/DV, with S-7004 battery mount 13W 800 Lx	29 459 HUF

S-2060	Bi-color Chip array LED, DC 6-17V, CRI >97 30W 1300Lx	85 660 HUF
S-2041F/J/C/U/E/B/V/I/D	Chip array LED, D-tap/DV, with S-7004 mount 23W 1200Lx	50 874 HUF
S-2051	Chip array LED, D-tap 12-18V, with S-7104 cable 40W 3000Lx	77 643 HUF
S-2210C	Panel light, 144 Leds, 3200K-5600K adjustable, DC 6-17V/DV,with S-7004 mount 9W 350Lx	29 459 HUF
S-2220C	Panel light, 312 Leds, 3200K-5600K adjustable, DC 6-17V/DV,with S-7004 mount 19W 800Lx	42 830 HUF
S-2000	4-LEDs, D-tap plug 12W 1100Lx	40 167 HUF
S-2010	4-LEDs, Pole plug 12W 1100Lx	40 167 HUF
SDI KONVERTER		0 HUF
S-9204	4-SDI Multiviewer and Switcher, 19" rack 1U HDMI multiview output, PGM output via SDI,	455 067 HUF
S-9104	4-SDI Quad-viewer, HDMI output, 19" rack 1U	455 067 HUF
S-9104+	4-SDI to HDMI Quad-viewer, 19" rack 1U, TSL UMD, Video/audio alert	481 835 HUF
S-4600	Heavy Duty 3G-SDI to HDMI converter 5W	68 528 HUF
S-4601	Heavy Duty HDMI to 3G-SDI converter 5W	68 528 HUF
S-4604	Heavy Duty 3G-SDI distributor 5W	68 528 HUF
S-4605	Heavy Duty 3G-SDI to Optical fiber converter 2W	128 489 HUF
S-4606	Heavy Duty Optical fiber to 3G-SDI converter 2W	128 489 HUF
S-4607	Heavy Duty Bi-directional 3G-SDI / Optical converter 3W	182 027 HUF
S-4611	Heavy Duty SDI to DVI converter 5W	68 528 HUF
S-4612	Heavy Duty DVI to SDI converter 5W	68 528 HUF

AKKUMULÁTOR – DV		0 HUF
S-8U93	Sony PMW-EX1/EX3, PMW-100/200, PMW- F3, FS7, PXW180/200 Power info, D-tap output, USB output 86Wh 14.4V	64 245 HUF
S-8U63(NEW)	Sony PMW-EX1/EX3, PMW-100/200, PMW- F3, FS7, PXW-X160/180/200 Power info, D-tap output, USB output 63Wh 14.4V	45 520 HUF
S-8972	Sony L seires NP-F970, 4LED, DC output 47Wh 7.2V	23 556 HUF
S-8970	Sony L seires NP-F970 47Wh 7.2V	23 556 HUF
S-8770	Sony L seires NP-F770 31Wh 7.2V	19 823 HUF
S-8M91	Sony QM series, NP-QM91 32Wh 7.2V	24 627 HUF
S-8D58	Panasonic VW-VBD58 4LED indicator, DC output, USB output 43Wh 7.2V	22 486 HUF
S-8BG6	Panasonic HMC series, VW-VBG6, DC out 36Wh 7.2V	20 893 HUF
S-8D62	Panasonic CGA series D54S, 4LED, DC out 47Wh 7.2V	26 247 HUF
S-8150	JVC GY-HM600/650, SSL-JVC50 4LED indicator, DC output, USB output 47Wh 7.2V	34 813 HUF
S-8823	JVC GY-HM100 Series,BN-VF823U, DC out 18Wh 7.2V	16 061 HUF
S-8428	JVC BNV series V428U 21Wh 7.2V	17 132 HUF
S-8845	Canon XF100/105, BP-970G, DC out 47Wh 7.2V	23 556 HUF

S-8945	Canon BP series BP-945 47Wh 7.2V	23 556 HUF
S-8PE6	For Canon 5D II, 7D, 60D, LP-E6 10Wh 7.2V	10 707 HUF
S-8040	Special compact battery for S-2041/S-2070/S-1071/S-1090/S-1092 21Wh 7.2V	16 061 HUF
AKKUMULÁTOR – NAGY ÁRAMÚ		0 HUF
S-8180S	Max 140W/12A out, Li-ion, V-mount, D-tap 220Wh 14.4V	133 843 HUF
S-8260S	Max 180W/15A out, Li-ion, V-mount, D-tap 172Wh 14.4V	140 817 HUF
S-8210S	Max 150W/12A out, Li-ion, V-mount, D-tap 115Wh 14.4V	100 650 HUF
S-8180A	Max 140W/12A out, Li-ion, V-mount, D-tap 220Wh 14.4V	133 843 HUF
S-8260A	Max 180W/15A out, Li-ion, Gold Mount, D- tap 172Wh 14.4V	140 817 HUF
S-8210A	Max 150W/12A out, Li-ion, Gold Mount, D- tap 115Wh 14.4V	100 650 HUF
AKKUMULÁTOR – DIGITÁLIS		0 HUF
D-8161R (was D-8161S(RED))	Li-ion, V-mount for RED camera 190Wh 14.4V	130 109 HUF
D-8111R (was D-8111S(RED))	Li-ion, V-mount for RED camera 126Wh 14.4V	95 296 HUF
D-8161S	Li-ion, V-mount 190Wh 14.4V	130 109 HUF
D-8161A	Li-ion, Gold Mount 190Wh 14.4V	130 109 HUF
AKKUMULÁTOR – NAGY KAPACITÁSÚ		0 HUF

S-8160S	Li-ion, V-mount, D-tap out 190Wh 14.4V	124 756 HUF
S-8110S	Li-ion, V-mount, D-tap out 126Wh 14.4V	89 943 HUF
S-8160A	Li-ion, Gold Mount, D-tap out 190Wh 14.4V	124 756 HUF
S-8110A	Li-ion, Gold Mount, D-tap out 126Wh 14.4V	89 943 HUF
NP-1 AKKUMULÁTOR / TÖLTŐ		0 HUF
S-8056N	Li-ion, NP-1 73Wh 14.4V	44 450 HUF
SC-302	NP-1, 2-channel sequential DC14-20V, 1. 9A	38 547 HUF
TÖLTŐ – IATA MEGFELELŐSÉGGEL		0 HUF
S-8192S	Li-ion, V-mount, Separable, D-tap out 92+92Wh 14.4V	117 782 HUF
S-8172S	Li-ion, V-mount, Separable, D-tap out 79+79Wh 14.4V	107 075 HUF
S-8192A	Li-ion, Gold Mount, Separable, D-tap out 92+92Wh 14.4V	117 782 HUF
S-8172A	Li-ion, Gold Mount, Separable, D-tap out 79+79Wh 14.4V	107 075 HUF
S-8132S	Li-ion, V-mount, Separable, D-tap out 63+63Wh 14.4V	84 589 HUF
S-8152S	Li-ion, V-mount, Separable, D-tap out 73+73Wh 14.4V	95 296 HUF
S-8132A	Li-ion, Gold Mount, Separable, D-tap out 63+63Wh 14.4V	84 589 HUF
S-8152A	Li-ion, Gold Mount, Separable, D-tap out 73+73Wh 14.4V	95 296 HUF

S-8080S	Li-ion, V-mount, D-tap out 95Wh 14.4V	57 820 HUF
S-8080A	Li-ion, Gold Mount, D-tap out 95Wh 14.4V	57 820 HUF
S-8082S	Li-ion, V-mount, D-tap out 95Wh 14.4V	60 511 HUF
S-8082A	Li-ion, Gold Mount, D-tap out 95Wh 14.4V	60 511 HUF
TÖLTŐ		0 HUF
D-3004S	4-ch simultaneous, LED indicators, V-mount C15-20V, 2A× 4	165 965 HUF
D-3004A	4-ch simultaneous, LED indicators, Gold C15-20V, 2A× 4 Mount	165 965 HUF
S-3802S	V-mount, 2-channel sequential, adaptor out DC14-20V, 1. 9A	81 926 HUF
S-3802A	Gold Mount, 2-channel sequential, adaptor out DC14-20V, 1. 9A	81 926 HUF
SC-302S	V-mount, 2-channel sequential DC14-20V, 1. 9A	63 723 HUF
SC-302A	Gold Mount, 2-channel sequential DC14-20V, 1. 9A	63 723 HUF
SC-304S	V-mount, 2-channel simultaneous DC14-20V, 1. 9A×2	77 643 HUF
SC-304A	Gold Mount, 2-channel simultaneous DC14-20V, 1. 9A×2	77 643 HUF
S-3602U	S-8U62, SONY BP-U, 2-channel charge DC 16.7V, 1. A	37 476 HUF
S-3602F	S-8972/8970/8770, Sony L series DC 8.4V, 2A× 2	37 476 HUF

S-3602J	S-8428, JVC BNV series DC 8.4V, 2A× 2	37 476 HUF
S-3602C	S-8945, Canon BP series DC 8.4V, 2A× 2	37 476 HUF
S-3602M	S-8M91/8M71, Sony QM series DC 8.4V, 2A× 2	37 476 HUF
S-3602B	S-8BG6 charger, Panasonic VW-VBG6 DC 8.4V, 2A× 2	37 476 HUF
S-3602D	S-8D58/8D62 charger, Panasonic D54/D28/VBD58 DC 8.4V, 2A× 2	37 476 HUF
S-3602V	S-8823 charger, JVC BN-VF823 DC 8.4V, 2A× 2	37 476 HUF
S-3602I	S-8I50 charger, JVC SSL-JVC50 DC 8.4V, 2A× 2	37 476 HUF
HORDOZHATÓ TÖLTŐ		0 HUF
S-3010S	V-mount, portable DC14-16.8V, 1.8A	21 415 HUF
S-3010A	Gold Mount, portable DC14-16.8V, 1.8A	21 415 HUF
S-3010B	D-tap charging, portable DC14-16.8V, 1.8A	21 415 HUF
S-3010D	Charger for DV batteries with DC output DC8.4V, 1.2A	5 354 HUF
STÚDIÓ LED LÁMPA		0 HUF
S-2100A/S	Panel light, 48-LEDs, 3200K-5600K adjustable 75W 5500Lx	267 686 HUF
S-2101A/S	Panel light, 48-LEDs, 3200K 75W 5500Lx	267 686 HUF
S-2102A/S	Panel light, 48-LEDs, 5600K 75W 5500Lx	267 686 HUF

S-2111D	Panel light, 576 Leds, 5600K DMX control 40W 3200Lx	107 075 HUF
S-2110CA	Panel light, 576 Leds, 3200K-5600K adjustable, Gold mount 40W	101 721 HUF
S-2110CS	Panel light, 576 Leds, 3200K-5600K adjustable, V-mount 40W	101 721 HUF
S-2110DA	Panel light, 576 Leds, 5600K, Gold mount 40W	91 013 HUF
S-2110DS	Panel light, 576 Leds, 5600K, V-mount 40W	91 013 HUF
S-2120CA	Panel light, 1024 Leds, 3200K-5600K adjustable, Gold mount 70W	182 027 HUF
S-2120CS	Panel light, 1024 Leds, 3200K-5600K adjustable, V-mount 70W	182 027 HUF
S-2120DA	Panel light, 1024 Leds, 5600K, Gold mount 70W	168 656 HUF
S-2120DS	Panel light, 1024 Leds, 5600K, V-mount 70W	168 656 HUF
S-2310	250W LED Fresnel Light, 12-75°adjustable, DMX control 250W	401 529 HUF
QH-J280	100-280cm tripod, max load 5kg	16 061 HUF
S-2110 CASE	Carry case for S-2110	13 398 HUF
S-2120 CASE	Carry case for S-2120	13 398 HUF
S-6630	Carry case for 2x S-2110	21 415 HUF
S-6640	Carry case for 2x S-2120	21 415 HUF
S-6650	Carry case for 3x S-2110/S-2120	26 769 HUF
LED LÁMPA SZETT		0 HUF
S-2053 KIT	Portable studio light kit, including S-2053*3, A-TR05*3, S-7303*3, A-PA04*3, A-TC05*1	401 529 HUF
S-2053	Chip array LED, D-tap 11-17V, with 1/4 inch screw mount 2200Lx 48W	77 643 HUF
A-TR05	Lighting stand, 49-227cm, 2.5kg max load,	32 122 HUF
S-7303	Ball head, Top:1/4" screw male Bottom: 1/4" screw female	5 354 HUF

A-PA04	AC power adaptor, AC100-240V, DC12V 4.5A DC: 5.5/2.1mm pole connector, 2.5 meters	10 707 HUF
A-TC05	Trolley case Material: Polymers & Plastic Dimension:141x221x113mm Weight: 6.7kg	80 306 HUF
S-7200S	V-mount battery plate with clamp Jaw diameter: 13-35mm Max load: 5.5kg	26 769 HUF
S-7200A	Gold mount battery plate with clamp Jaw diameter: 13-35mm Max load: 5.5kg	26 769 HUF
S-7104(2.5)	2.5m Pole to D-tap cable	5 354 HUF
S-4310	Power/HDMI distribution box for shoulder rigs	96 367 HUF
KIEGÉSZÍTŐK		0 HUF
S-7000S	V-mount plate with D-tap output socket	13 398 HUF
S-7000A	Gold Mount with D-tap output socket	13 398 HUF
S-7000F/P/J/C/U/E/B/V/I	DV mount	8 044 HUF
S-7001F/P/J/C/U/E/B/V/I	Snap-on DV mount for S-1051C monitors	8 044 HUF
S-7004F/P/J/C/U/E/B/V/I/S	Snap-on DV mount for S-2040, S-1090F/H/C, S-1071F/H/C, S-1051H	8 044 HUF
S-7200F/P/J/C	DV mount adaptor for S-2010	21 415 HUF
S-7210U	5.5mm pole to 4-pin XLR connector	10 707 HUF
S-7100S	V-mount to 4-pin XLR	6 424 HUF
S-7100A	Gold Mount to 4-pin XLR	6 424 HUF
S-7101	D-tap to 4-pin XLR	6 424 HUF
S-7102	4-pin XLR cable, for S-3802 output	5 354 HUF
S-7103	D-tap open end cable	4 283 HUF
S-7104	D-tap to 5.5/2.1mm Pole	5 354 HUF
S-7108	5.5/2.1mm Pole to Pole DC cable	2 691 HUF
S-7109	D-tap to SONY PMW-EX DC-IN Adapting Cable	8 044 HUF
S-7500F/P/J/C/E	Dummy battery adaptor of S-3602 / S-4310	8 044 HUF
S-7500U	5.5/2.1mm Pole-tap to SONY PMW-EX DC- IN Adapting Cable	8 044 HUF
S-7005A	V-mount to Gold mount battery adaptor, use a Gold Mount battery on a camera with V- mount plate	24 105 HUF
S-7005S	Gold mount to V-mount battery adaptor, use a V-mount battery on a camera with Gold Mount plate	24 105 HUF
S-7010S	V-mount plate with D-tap, USB & DC output socket	24 105 HUF
S-7105	D-TAP 90° connector for S-8U63/S-8U93 on FS7 camera	5 354 HUF



SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA





SWIT ÁRLISTA

